

[Creating the maple initialization file maple.ini

```
> currentdir("C:\\Users\\fgarv");  
                                "C:\Users\fgarv" (1)
```

[NOTE: Change "fgarv" your userid .

```
> currentdir();  
                                "C:\Users\fgarv" (2)
```

```
> str0:="### 06.10.2022";  
                                str0 := "### 06.10.2022" (3)
```

```
> str:="Homelib:=\"C:\\\\cygwin64/home/fgarv/maple/mylib\"";  
                                str := "Homelib:=\"C:\\cygwin64/home/fgarv/maple/mylib\""; (4)
```

[NOTE: Change "cygwin64/home/fgarv/maple" to the directory where you save you MAPLE stuff.

```
> str2:="libname := libname, Homelib:";  
                                str2 := "libname := libname, Homelib:" (5)
```

```
> fd := fopen("maple.ini",WRITE);  
                                fd := 0 (6)
```

```
> fprintf("maple.ini", %s\n,str0);  
                                14 (7)
```

```
> fprintf("maple.ini", "\n",str);  
                                1 (8)
```

```
> fprintf("maple.ini", %s\n,str);  
                                47 (9)
```

```
> fprintf("maple.ini", "\n");  
                                1 (10)
```

```
> fprintf("maple.ini", %s\n,str2);  
                                28 (11)
```

```
> fclose(fd);
```